JSC "Medicina" (Clinic of Academician Roytberg)

Medical check-up program

for women from 40 up to and including 64 years old with the use of an anesthetic aid during esophagogastroduodenoscopy

First stage of complex medical check-up program for women from 40 up to and including 64 years old with the use of an anesthetic aid during esophagogastroduodenoscopy

A list of examinations by medical professionals, lab tests and diagnostic procedures carried out as part of the first stage of complex medical check-up program for women from 40 up to and						
including 64 years old						
Appointment (examination) of a medical professional						
	General practitioner consultation	1				
B01.047.005	Collecting verbal history of disease (complaints if any)	1				
	Determination of relative cardiovascular risk	1				
	Calculation of the body mass index based on anthropometry	1				
	(measurement of height, body weight, waist circumference)					
	Measurement of blood pressure in peripheral arteries	1				
B04.029.001	Measurement of blood oxygen saturation at rest	1				
	Ophthalmologist consultation	1				
B04.001.001	Gynecologist consultation	1				
A 11.20.002 A08.20.017 A08.20.017. 001	Taking a cytological cervical smear (scraping) using a brush from the surface of the cervix (external uterine pharynx) and the cervical canal for cytological examination (hereinafter referred to as a smear from the cervix), cytological examination of a smatkи (obtaining a cervical smear, cytological examination of a micro-preparation of the cervix, cytological examination of a micro-preparation of the cervical canal)	1	With the exception of cases when it is impossible to conduct a study for medical reasons due to extirpation of the uterus, virgo			
B01.047.006	General practitioner follow-up after finishing the first stage of check-up (This follow-up consultation does include follow-up examination for the detection of visual and other localization of oncological diseases, including examination of the skin, mucous lips and oral cavity, palpation of the thyroid gland, lymph nodes, in order to establish a diagnosis, determine the health group, the group of dispensary observation, determination of medical indications for examinations (consultations) and diagnostic procedures for the second stage of medical check-up)	1				
	Individual preventive counseling	1				
A 10 05 110	Laboratory tests					
A12.05.118 A12.05.119 A12.05.120 A12.05.121 A09.05.003 A12.05.001 A09.05.003. 004 A09.05.003. 002 A09.05.003.	Complete blood count	1				
A12.28.011 A12.28.012 A12.28.013 A12.28.014 A09.28.003	Urine analysis	1				

1		
6 Serum cholesterol, enzymatic assay	1	
8 LDLP measurement (beta-cholesterol)	1	
3 Blood glucose, orthotoluidine or glucoxidase assay	1	
9 Serum C-reactive protein, precipitation reaction in capillars	1	
0 Serum creatinine	1	
Serum lactate dehydrogenase activity, optic test, biochemistry analyzer FP-900	1	
Serum alanine aminotransferase activity, Riteman and Frenkel assay	1	
1 Serum aspartate aminotransferase activity	1	
1.	1	
D-dimers	1	
O. L. CHARLES TO A CONTROL OF THE CO	1	
Anti-HIV, ELISA, manual, single probe per plate		
Determination of antibodies to pale treponema (Treponema pallidum) by enzyme immunoassay (ELISA) in the blood	1	
6 HBs antigen, ELISA, manual, single probe per plate	1	
Antibodies to HCV antigen, ELISA, manual, single probe per plate	1	
Occult blood test	1	
9 Blood withdrawal, phlebotomy	1	
Diagnostic procedures	1	
EKG (12 lead) with use of 6 canal manual		
electrocardiograph	1	
1.		
Spirometry with use of bodyplethysmography	1	
		If was not
5.	1	performed earlier
	1	during the year
Low-dose CT pulmonary angiography		в течение года
1 Ultrasound examination of the abdominal organs (complex)	1	
1 USG, kidney, suprarenal gland, retroperitoneal space	1	
1 Diagnostic esophagogastroduodenoscopy	1	
4 Intravenous anesthesia during esophagogastroduodenoscopy,	1	
including examination by an anesthesiologist-resuscitator		With the use of
2 Gastroscopy with biopsy	1	an anesthetic aid
6. Category 2 complexity biopsy, without additional methods of	1	
examination (1-5 specimens)	_	
Plain Rg-graphy of mammary gland with Rg-graphy of soft tissue of axillar region, AP, lateral views	1	Except in cases where it is impossible to conduct a study for medical reasons in connection with a mastectomy. Mammography is not performed if mammography or computed tomography of the mammary

			glands has been performed during the previous 12 months
A04.20.001. 001/ A04.20.001	Ultrasound examination of the uterus and appendages transvaginal / Ultrasound examination of the uterus and appendages transabdominal	1	Ultrasound examination of the uterus and appendages transabdominal – virgo